

Message

---

**From:** Erickson, Elizabeth@Waterboards [Elizabeth.Erickson@waterboards.ca.gov]  
**Sent:** 10/25/2018 9:43:03 PM  
**To:** kbrown@cityofventura.ca.gov  
**CC:** Morris, Cris@Waterboards [Cris.Morris@waterboards.ca.gov]; Smith, Deborah@Waterboards [Deborah.Smith@waterboards.ca.gov]; Lim, Jeong-Hee@Waterboards [Jeong-Hee.Lim@waterboards.ca.gov]; Purdy, Renee@Waterboards [Renee.Purdy@waterboards.ca.gov]; Smith, DavidW [Smith.DavidW@epa.gov]; Stuber, Robyn [Stuber.Robyn@epa.gov]; Coupe, David@Waterboards [David.Coupe@waterboards.ca.gov]; Mitschele, Becky [Mitschele.Becky@epa.gov]  
**Subject:** RE: Ventura complete ROWD CI 1822  
**Attachments:** ROWD approval 10 25 2018.pdf

Attached please find correspondence from the Los Angeles Regional Water Quality Control Board (Regional Water Board).

The Regional Board Watershed Regulatory Section sends our correspondence with PDF format through email. You will not receive a hard copy unless you are the addressee of the correspondence or you do not have an email address. If you are no longer a responsible party, nor interested in receiving correspondence regarding the subject facility, please kindly reply to this email and we'll remove you from the cc list.

The attached document is in Adobe Acrobat PDF format. You can obtain an Acrobat Reader free of charge at <http://www.adobe.com/products/acrobat/readstep2.html>.

*Elizabeth Erickson*

Regional Water Quality Control Board Los Angeles  
NPDES Municipal Permitting  
Engineering Geologist

213 576 6665

[Elizabeth.Erickson@waterboards.ca.gov](mailto:Elizabeth.Erickson@waterboards.ca.gov)